

## Threatened plants within the Catchment: Furneaux Islands

Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Acacia ulicifolia</i>	juniper wattle		r		307	2	0.7
<i>Acacia uncifolia</i>	coast wirilda		r		20	20	100.0
<i>Acrotriche cordata</i>	coast groundberry		v		18	18	100.0
<i>Aphelia gracilis</i>	slender fanwort		r		147	1	0.7
<i>Aphelia sp.</i>			r*		1	1	100.0
<i>Asperula minima</i>	mossy woodruff		r		56	8	14.3
<i>Asperula subsimplex</i>	water woodruff		r		47	2	4.3
<i>Atriplex suberecta</i>	sprawling saltbush		v		14	11	78.6
<i>Austrostipa bigeniculata</i>	doublejointed speargrass		r		114	1	0.9
<i>Banksia integrifolia subsp. integrifolia</i>	coast banksia		x		3	2	66.7
<i>Banksia serrata</i>	saw banksia		r		122	4	3.3
<i>Bedfordia arborescens</i>	tree blanketleaf		v		30	30	100.0
<i>Bolboschoenus caldwellii</i>	sea clubsedge		r		92	1	1.1
<i>Brachyloma depressum</i>	spreading heath		r		66	8	12.1
<i>Brachyscome perpusilla</i>	tiny daisy		r		35	2	5.7
<i>Caladenia aurantiaca</i>	orangetip fingers		e		2	2	100.0
<i>Caladenia australis</i>	southern spider-orchid		e		1	1	100.0
<i>Caladenia brachyscapa</i>	short spider-orchid		e	EX	2	2	100.0
<i>Caladenia cardiochila</i>	heartlip spider-orchid		x		1	1	100.0
<i>Caladenia caudata</i>	tailed spider-orchid	end	v	VU	205	10	4.9
<i>Caladenia filamentosa</i>	daddy longlegs		r		65	2	3.1
<i>Caladenia patersonii</i>	patersons spider-orchid		v		109	1	0.9
<i>Caladenia prolata</i>	white fingers		e		3	3	100.0
<i>Caladenia pusilla</i>	tiny fingers		r		117	6	5.1
<i>Calochilus campestris</i>	copper beard-orchid		e		3	2	66.7
<i>Calystegia marginata</i>	forest bindweed		e		13	13	100.0
<i>Calystegia soldanella</i>	sea bindweed		r		42	4	9.5
<i>Centrolepis strigosa subsp. pulvinata</i>	bassian bristlewort	end	r		18	14	77.8
<i>Chenopodium erosum</i>	papery goosefoot		x		1	1	100.0

**Threatened Species Section**  
**Department of Primary Industries, Parks, Water and Environment**



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Chiloglottis trapeziformis</i>	broadlip bird-orchid		e		19	6	31.6
<i>Chrysocephalum baxteri</i>	fringed everlasting		r		11	11	100.0
<i>Comesperma defoliatum</i>	leafless milkwort		r		34	1	2.9
<i>Conospermum hookeri</i>	tasmanian smokebush	end	v	VU	399	7	1.8
<i>Corunastylis morrisii</i>	bearded midge-orchid		e		42	1	2.4
<i>Corybas fordhamii</i>	swamp pelican-orchid		e		3	3	100.0
<i>Cotula vulgaris var. australasica</i>	slender buttons		r		75	25	33.3
<i>Crassula moschata</i>	musky stonecrop	mi & tas	r		16	2	12.5
<i>Cryptostylis leptochila</i>	small tongue-orchid		e		14	14	100.0
<i>Cynoglossum australe</i>	coast houndstongue		r		882	8	0.9
<i>Cyrtostylis robusta</i>	large gnat-orchid		r		119	12	10.1
<i>Deyeuxia densa</i>	heath bentgrass		r		68	2	2.9
<i>Diuris palustris</i>	swamp doubletail		e		81	1	1.2
<i>Drosera glanduligera</i>	scarlet sundew		r		16	5	31.3
<i>Elaeocarpus reticulatus</i>	blueberry ash		r		165	27	16.4
<i>Eucalyptus globulus subsp. pseudoglobulus</i>	gippsland blue gum		r		9	9	100.0
<i>Eutaxia microphylla</i>	spiny bushpea		r		64	39	60.9
<i>Frankenia pauciflora var. gunnii</i>	southern seaheath		r		34	30	88.2
<i>Geococcus pusillus</i>	earth cress		r		5	4	80.0
<i>Gompholobium ecostatum</i>	dwarf wedgepea		e		32	32	100.0
<i>Gynatrix pulchella</i>	fragrant hempbush		r		82	7	8.5
<i>Gyrostemon thesioides</i>	broom wheelfruit		r		68	27	39.7
<i>Hakea ulicina</i>	furze needlebush		v		55	55	100.0
<i>Haloragis myriocarpa</i>	prickly raspwort		r		16	13	81.3
<i>Hibbertia obtusifolia</i>	grey guineaflower		x		1	1	100.0
<i>Hydrocotyle comocarpa</i>	fringefruit pennywort		r		13	13	100.0
<i>Hydrorchis orbicularis</i>	swamp onion-orchid		r		45	18	40.0
<i>Hypolepis muelleri</i>	harsh groundfern		r		87	3	3.4
<i>Isoetes drummondii subsp. drummondii</i>	plain quillwort		r		46	1	2.2
<i>Isopogon ceratophyllus</i>	horny conebrush		v		121	121	100.0
<i>Lachnagrostis billardierei subsp. tenuiseta</i>	small-awn blowgrass	end	r		11	2	18.2

**Threatened Species Section**  
**Department of Primary Industries, Parks, Water and Environment**



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Lachnagrostis robusta</i>	tall blowgrass		r		31	1	3.2
<i>Lachnagrostis scabra subsp. scabra</i>	rough blowgrass		r		54	3	5.6
<i>Lasiopetalum baueri</i>	slender velvetbush		r		40	3	7.5
<i>Lasiopetalum discolor</i>	coast velvetbush		r		16	15	93.8
<i>Lepidium hyssopifolium</i>	soft peppergrass		e	EN	152	1	0.7
<i>Lepidium pseudotasmanicum</i>	shade peppergrass		r		579	3	0.5
<i>Lepidosperma forsythii</i>	stout rapiersedge		r		22	5	22.7
<i>Lepidosperma tortuosum</i>	twisting rapiersedge		r		56	1	1.8
<i>Lepilaena patentifolia</i>	spreading watermat		r		38	1	2.6
<i>Lepilaena preissii</i>	slender watermat		r		11	1	9.1
<i>Leucopogon esquamatus</i>	swamp beardheath		r		71	71	100.0
<i>Leucopogon lanceolatus var. lanceolatus</i>	lance beardheath		r		46	29	63.0
<i>Leucopogon virgatus var. brevifolius</i>	shortleaf beardheath		r		79	4	5.1
<i>Lobelia pratioides</i>	poison lobelia		v		67	1	1.5
<i>Lotus australis</i>	australian trefoil		r		98	3	3.1
<i>Microtidium atratum</i>	yellow onion-orchid		r		111	31	27.9
<i>Myoporum parvifolium</i>	creeping boobialla		v		80	80	100.0
<i>Myriophyllum muelleri</i>	hooded watermilfoil		r		18	7	38.9
<i>Orthoceras strictum</i>	horned orchid		r		76	9	11.8
<i>Pandorea pandorana</i>	wonga vine		r		10	10	100.0
<i>Parietaria debilis</i>	shade pellitory		r		144	43	29.9
<i>Pellaea calidirupium</i>	hotrock fern		r		49	2	4.1
<i>Phyllangium distylis</i>	tiny mitrewort		r		52	6	11.5
<i>Phyllangium divergens</i>	wiry mitrewort		v		102	2	2.0
<i>Phylloglossum drummondii</i>	pygmy clubmoss		r		41	9	22.0
<i>Pimelea curviflora</i>	curved rice-flower		r*		74	5	6.8
<i>Pimelea curviflora var. gracilis</i>	slender curved riceflower		r		157	1	0.6
<i>Pimelea curviflora var. sericea</i>	silky curved riceflower		r		14	14	100.0
<i>Poa halmaturina</i>	dune tussockgrass		r		23	2	8.7
<i>Poa poiformis var. ramifer</i>	island purplegrass		r		72	37	51.4
<i>Pomaderris intermedia</i>	lemon dogwood		r		122	55	45.1
<i>Pomaderris oraria subsp. oraria</i>	bassian dogwood		r		18	11	61.1

**Threatened Species Section**  
**Department of Primary Industries, Parks, Water and Environment**



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Pomaderris paniculosa subsp. paralia</i>	shining dogwood		r		99	43	43.4
<i>Prasophyllum secutum</i>	northern leek-orchid	end	e	EN	26	3	11.5
<i>Pterostylis cucullata subsp. cucullata</i>	leafy greenhood		e	VU	150	4	2.7
<i>Pterostylis sanguinea</i>	banded greenhood		r		44	39	88.6
<i>Pterostylis tunstallii</i>	tunstalls greenhood		e		9	8	88.9
<i>Ranunculus pumilio var. pumilio</i>	ferny buttercup		r		69	2	2.9
<i>Ranunculus sessiliflorus var. sessiliflorus</i>	rockplate buttercup		r		158	9	5.7
<i>Scaevola albida</i>	pale fanflower		v		31	23	74.2
<i>Schenkia australis</i>	spike centaury		r		95	6	6.3
<i>Schoenoplectus tabernaemontani</i>	river clubsedge		r		27	1	3.7
<i>Scleranthus fasciculatus</i>	spreading knawel		v		333	1	0.3
<i>Senecio psilocarpus</i>	swamp fireweed		e	VU	7	1	14.3
<i>Senecio squarrosus</i>	leafy fireweed		r		205	1	0.5
<i>Sicyos australis</i>	star cucumber		r		20	20	100.0
<i>Solanum opacum</i>	greenberry nightshade		e		23	4	17.4
<i>Sporobolus virginicus</i>	salt couch		r		91	17	18.7
<i>Spyridium parvifolium</i>	dustymiller		r*		9	6	66.7
<i>Spyridium parvifolium var. molle</i>	soft dustymiller	end	r		57	46	80.7
<i>Spyridium parvifolium var. parvifolium</i>	coast dustymiller		r		279	27	9.7
<i>Spyridium vexilliferum var. vexilliferum</i>	helicopter bush		r		270	11	4.1
<i>Stellaria multiflora</i>	rayless starwort		r		190	11	5.8
<i>Stuckenia pectinata</i>	fennel pondweed		r		28	6	21.4
<i>Stylidium beaugleholei</i>	fan triggerplant		r		113	5	4.4
<i>Stylidium despectum</i>	small triggerplant		r		100	1	1.0
<i>Stylidium perpusillum</i>	tiny triggerplant		r		55	2	3.6
<i>Stylidium sp. Ephemeral</i>			r*		13	13	100.0
<i>Taraxacum cygnorum</i>	coast dandelion			VU	4	4	100.0
<i>Teloschistes flavicans</i>	golden-hair lichen		r		7	7	100.0
<i>Tetratheca ciliata</i>	northern pinkbells		r		26	1	3.8
<i>Thelymitra atronitida</i>	blackhood sun-orchid		e		71	1	1.4
<i>Thelymitra benthamiana</i>	blotched sun-orchid		e		15	15	100.0
<i>Thelymitra holmesii</i>	bluestar sun-orchid		r		40	4	10.0

Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Thelymitra jonesii</i>	skyblue sun-orchid	end	e	EN	20	2	10.0
<i>Thelymitra malvina</i>	mauve tuft sun-orchid		e		87	4	4.6
<i>Thelymitra mucida</i>	plum sun-orchid		r		14	1	7.1
<i>Thynniorchis huntiana</i>	elbow orchid		x		2	2	100.0
<i>Tmesipteris parva</i>	small forkfern		v		5	2	40.0
<i>Tricostularia pauciflora</i>	needle bogsedge		r		18	5	27.8
<i>Triglochin minutissima</i>	tiny arrowgrass		r		61	10	16.4
<i>Triglochin mucronata</i>	prickly arrowgrass		e		5	5	100.0
<i>Trithuria submersa</i>	submerged watertuft		r		54	8	14.8
<i>Utricularia australis</i>	yellow bladderwort		r		30	1	3.3
<i>Utricularia tenella</i>	pink bladderwort		r		56	10	17.9
<i>Utricularia violacea</i>	violet bladderwort		r		2	2	100.0
<i>Wilsonia humilis</i>	silky wilsonia		r		135	16	11.9
<i>Wilsonia rotundifolia</i>	roundleaf wilsonia		r		152	10	6.6
<i>Xanthoparmelia microphyllizans</i>			r		1	1	100.0
<i>Xerochrysum bicolor</i>	eastcoast everlasting		r		61	3	4.9
<i>Zygophyllum billardierei</i>	coast twinleaf		r		67	67	100.0

**Endemic:** end = endemic to Tasmania; tas = within Australia, only occurs in Tasmania; mi & tas = within Australia, only occurs on Macquarie Island and in Tasmania.

**TSP Act** = Tasmanian *Threatened Species Protection Act 1995*: r = rare, v = vulnerable, e = endangered, x = extinct

**EPBC Act** = Commonwealth *Environment Protection and Biodiversity Conservation Act 1999*: VU = Vulnerable, EN = Endangered, CR = Critically Endangered, EX = Extinct

[\* = This taxon is protected as (1) it is either a component of a listed taxon, or the name has changed from that which appears in the official legislation, or (2) all taxa (species, subspecies or varieties) derived from this entity are listed as threatened species.]

**Tas Count** = number of records for the species within Tasmania, as per DPIPWE's Natural Values Atlas (excluding Macquarie Island).

**LGA Count** = number of records for the species within the specified local government area.

**% in LGA** = records within the local government area as a percentage of the total in Tasmania.

**Disclaimer:** The list above is based on records held in the Natural Values Atlas, and may include records that have a large degree of spatial uncertainty or that are known to be locally extinct. The number of records for a species does not necessarily equal the number of populations: that is, there may be more than one record per population. Note that records may have changed since this document was prepared. For further information check the NVA website at [www.naturalvaluesatlas.dpipwe.tas.gov.au](http://www.naturalvaluesatlas.dpipwe.tas.gov.au) or individual species' information at [www.dpipwe.tas.gov.au/threatenedspecieslists](http://www.dpipwe.tas.gov.au/threatenedspecieslists).

**Threatened Species Section**  
**Department of Primary Industries, Parks, Water and Environment**



**Contact details:** Threatened Species Section, Department of Primary Industries, Parks, Water & Environment, GPO Box 44, Hobart, Tasmania, Australia, 7001. Phone (03) 6233 6556; fax (03) 6233 3477.