

Threatened plants within the Catchment: Macquarie

Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Acacia axillaris</i>	midlands wattle	end	v	VU	541	339	62.7
<i>Acacia siculiformis</i>	dagger wattle		r		76	15	19.7
<i>Amphibromus fluitans</i>	floating swampgrass	i?		VU	2	1	50.0
<i>Amphibromus macrorhinus</i>	longnosed swampgrass		e		26	12	46.2
<i>Amphibromus neesii</i>	southern swampgrass		r		30	3	10.0
<i>Aphelia gracilis</i>	slender fanwort		r		147	23	15.6
<i>Aphelia pumilio</i>	dwarf fanwort		r		140	10	7.1
<i>Arthropodium strictum</i>	chocolate lily		r		969	63	6.5
<i>Asperula scoparia subsp. scoparia</i>	prickly woodruff		r		158	5	3.2
<i>Asperula subsimplex</i>	water woodruff		r		47	3	6.4
<i>Austrostipa bigeniculata</i>	doublejointed speargrass		r		114	6	5.3
<i>Austrostipa nodosa</i>	knotty speargrass		r		621	138	22.2
<i>Austrostipa scabra</i>	rough speargrass		r		171	29	17.0
<i>Austrostipa scabra subsp. falcata</i>	sickle speargrass		r*		317	133	42.0
<i>Austrostipa scabra subsp. scabra</i>	rough speargrass		r*		42	2	4.8
<i>Baumea gunnii</i>	slender twigsedge		r		77	10	13.0
<i>Bertya tasmanica subsp. tasmanica</i>	tasmanian bertya	end	e	EN	66	16	24.2
<i>Bolboschoenus caldwellii</i>	sea clubsedge		r		92	18	19.6
<i>Bolboschoenus medianus</i>	marsh clubsedge		r		11	11	100.0
<i>Boronia hippopala</i>	velvet boronia	end	v	VU	190	14	7.4
<i>Brachyscome rigidula</i>	cutleaf daisy		v		56	26	46.4
<i>Brunonia australis</i>	blue pincushion		r		564	9	1.6
<i>Caesia calliantha</i>	blue grasslily		r		243	124	51.0
<i>Caladenia anthracina</i>	blacktip spider-orchid	end	e	CR	58	51	87.9
<i>Caladenia filamentosa</i>	daddy longlegs		r		65	1	1.5
<i>Caladenia lindleyana</i>	lindleys spider-orchid	end	e	CR	12	1	8.3
<i>Calocephalus lacteus</i>	milky beautyheads		r		245	134	54.7
<i>Carex gunniana</i>	mountain sedge		r		50	2	4.0
<i>Carex longebrachiata</i>	drooping sedge		r		272	46	16.9

Threatened Species Section
Department of Primary Industries, Parks, Water and Environment



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Carex tasmanica</i>	curly sedge			VU	336	67	19.9
<i>Colobanthus curtisiae</i>	grassland cupflower		r	VU	387	31	8.0
<i>Cotula vulgaris var. australasica</i>	slender buttons		r		75	2	2.7
<i>Cryptandra amara</i>	pretty pearlflower		e		86	34	39.5
<i>Cuscuta tasmanica</i>	golden dodder		r		22	3	13.6
<i>Cynoglossum australe</i>	coast houndstongue		r		882	10	1.1
<i>Cyphanthera tasmanica</i>	tasmanian rayflower	end	r		109	2	1.8
<i>Desmodium varians</i>	slender ticktrefoil		e		185	39	21.1
<i>Dianella amoena</i>	grassland flaxlily		r	EN	493	181	36.7
<i>Epacris acuminata</i>	claspleaf heath	end		VU	412	64	15.5
<i>Epilobium willisii</i>	carpet willowherb		r		50	1	2.0
<i>Eucalyptus barberi</i>	barbers gum	end	r		363	1	0.3
<i>Euphrasia collina subsp. deflexifolia</i>	eastern eyebright	end	r		118	2	1.7
<i>Glossostigma elatinoides</i>	small mudmat		r		8	1	12.5
<i>Glycine latrobeana</i>	clover glycine		v	VU	272	135	49.6
<i>Gratiola pubescens</i>	hairy brooklime		v		81	1	1.2
<i>Haloragis heterophylla</i>	variable raspwort		r		328	116	35.4
<i>Hovea tasmanica</i>	rockfield purplepea	end	r		129	9	7.0
<i>Hyalosperma demissum</i>	moss sunray		e		90	14	15.6
<i>Hypoxis vaginata</i>	sheathing yellowstar		r		209	29	13.9
<i>Hypoxis vaginata var. brevistigmata</i>	sheathing yellowstar		r*		210	4	1.9
<i>Hypoxis vaginata var. vaginata</i>	sheathing yellowstar		r*		158	28	17.7
<i>Isoetes drummondii subsp. drummondii</i>	plain quillwort		r		46	10	21.7
<i>Isoetopsis graminifolia</i>	grass cushion		v		129	21	16.3
<i>Isolepis habra</i>	wispy clubsedge		r		14	1	7.1
<i>Juncus amabilis</i>	gentle rush		r		359	3	0.8
<i>Lachnagrostis punicea subsp. punicea</i>	bristle blowgrass		r		13	4	30.8
<i>Lachnagrostis robusta</i>	tall blowgrass		r		31	1	3.2
<i>Lepidium hyssopifolium</i>	soft peppercross		e	EN	152	28	18.4
<i>Lepidium pseudotasmanicum</i>	shade peppercross		r		579	7	1.2
<i>Lepilaena australis</i>	australian watermat		x		1	1	100.0
<i>Lepilaena patentifolia</i>	spreading watermat		r		38	9	23.7

Threatened Species Section
Department of Primary Industries, Parks, Water and Environment



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Leptorhynchus elongatus</i>	lanky buttons		e		16	1	6.3
<i>Leucochrysum albicans</i> var. <i>tricolor</i>	grassland paperdaisy		e	EN	268	153	57.1
<i>Leucopogon virgatus</i> var. <i>brevifolius</i>	shortleaf beardheath		r		79	3	3.8
<i>Lobelia pratioides</i>	poison lobelia		v		67	32	47.8
<i>Monotoca submutica</i> var. <i>autumnalis</i>	roundleaf broomheath	end	r		66	8	12.1
<i>Muehlenbeckia axillaris</i>	matted lignum		r		168	1	0.6
<i>Myriophyllum integrifolium</i>	tiny watermilfoil		v		115	20	17.4
<i>Ozothamnus lycopodioides</i>	clubmoss everlastingbush	end	r		226	2	0.9
<i>Ozothamnus selaginoides</i>	table mountain everlastingbush	end	x	EX	2	1	50.0
<i>Pellaea calidirupium</i>	hotrock fern		r		49	1	2.0
<i>Persicaria decipiens</i>	slenderwaterpepper		v		183	4	2.2
<i>Pilularia novae-hollandiae</i>	austral pillwort		r		19	7	36.8
<i>Pimelea curviflora</i>	curved rice-flower		r*		74	1	1.4
<i>Pomaderris phyllicifolia</i> subsp. <i>phyllicifolia</i>	narrowleaf dogwood		r*		235	51	21.7
<i>Prasophyllum incorrectum</i>	golfers leek-orchid	end	e	CR	43	42	97.7
<i>Prasophyllum olidum</i>	pungent leek-orchid	end	e	CR	13	13	100.0
<i>Prasophyllum taphanyx</i>	graveside leek-orchid	end	e	CR	6	6	100.0
<i>Prasophyllum tunbridgense</i>	tunbridge leek-orchid	end	e	EN	37	37	100.0
<i>Pterostylis commutata</i>	midland greenhood	end	e	CR	22	19	86.4
<i>Pterostylis squamata</i>	ruddy greenhood		r		57	4	7.0
<i>Pterostylis wapstrarum</i>	fleshy greenhood	end	e	CR	25	8	32.0
<i>Pterostylis ziegeleri</i>	grassland greenhood	end	v	VU	130	33	25.4
<i>Puccinellia perlaxa</i>	spreading saltmarshgrass		r		2	2	100.0
<i>Pultenaea humilis</i>	dwarf bushpea		v		106	10	9.4
<i>Pultenaea prostrata</i>	silky bushpea		v		110	76	69.1
<i>Ranunculus prasinus</i>	midlands buttercup	end	e	EN	24	24	100.0
<i>Ranunculus pumilio</i> var. <i>pumilio</i>	ferny buttercup		r		69	6	8.7
<i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i>	rockplate buttercup		r		158	2	1.3
<i>Rhodanthe anthemoides</i>	chamomile sunray		r		284	1	0.4
<i>Rhytidosporum inconspicuum</i>	alpine appleberry		e		45	15	33.3
<i>Rumex bidens</i>	mud dock		r		24	1	4.2

Threatened Species Section
Department of Primary Industries, Parks, Water and Environment



Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Ruppia megacarpa</i>	largefruit seatassel		r		35	7	20.0
<i>Rytidosperma indutum</i>	tall wallabygrass		r		354	6	1.7
<i>Rytidosperma popinensis</i>	blue wallabygrass	end	r	EN	546	5	0.9
<i>Schenkia australis</i>	spike centaury		r		95	1	1.1
<i>Schoenoplectus tabernaemontani</i>	river clubsedge		r		27	5	18.5
<i>Schoenus latelaminatus</i>	medusa bogsedge		e		23	2	8.7
<i>Scleranthus brockiei</i>	mountain knawel		r		205	11	5.4
<i>Scleranthus diander</i>	tufted knawel		v		52	38	73.1
<i>Scleranthus fasciculatus</i>	spreading knawel		v		333	59	17.7
<i>Scutellaria humilis</i>	dwarf skullcap		r		31	1	3.2
<i>Senecio squarrosus</i>	leafy fireweed		r		205	1	0.5
<i>Siloxerus multiflorus</i>	small wrinklewort		r		139	15	10.8
<i>Spyridium parvifolium</i> var. <i>parvifolium</i>	coast dustymiller		r		279	1	0.4
<i>Spyridium vexilliferum</i> var. <i>vexilliferum</i>	helicopter bush		r		270	9	3.3
<i>Stackhousia subterranea</i>	grassland candles		e		102	95	93.1
<i>Stellaria multiflora</i>	rayless starwort		r		190	17	8.9
<i>Stenanthemum pimeleoides</i>	propeller plant	end	v	VU	186	14	7.5
<i>Stuckenia pectinata</i>	fennel pondweed		r		28	6	21.4
<i>Stylidium despectum</i>	small triggerplant		r		100	15	15.0
<i>Teucrium corymbosum</i>	forest germander		r		232	46	19.8
<i>Tricoryne elatior</i>	yellow rushlily		v		96	9	9.4
<i>Triglochin minutissima</i>	tiny arrowgrass		r		61	2	3.3
<i>Triptilodiscus pygmaeus</i>	dwarf sunray		v		254	164	64.6
<i>Trithuria submersa</i>	submerged watertuft		r		54	11	20.4
<i>Uncinia elegans</i>	handsome hooksedge	tas	r		39	1	2.6
<i>Vallisneria australis</i>	river ribbons		r		34	3	8.8
<i>Velleia paradoxa</i>	spur velleia		v		103	23	22.3
<i>Vittadinia burbidgeae</i>	smooth new-holland-daisy	end	r		144	106	73.6
<i>Vittadinia cuneata</i> var. <i>cuneata</i>	fuzzy new-holland-daisy		r		223	137	61.4
<i>Vittadinia gracilis</i>	woolly new-holland-daisy		r		358	57	15.9
<i>Vittadinia muelleri</i> (broad sense)	narrow leaf new holland daisy		r*		182	1	0.5

Species	Common name	Endemic	TSP Act	EPBC Act	Tas Count	Catchment Count	% in Catchment
<i>Vittadinia sp.</i>			r*		3	1	33.3
<i>Wilsonia humilis</i>	silky wilsonia		r		135	2	1.5
<i>Wilsonia rotundifolia</i>	roundleaf wilsonia		r		152	83	54.6
<i>Xanthoparmelia mannumensis</i>			v		8	2	25.0
<i>Xanthoparmelia molliuscula</i>			e		13	2	15.4
<i>Xanthoparmelia willisii</i>			e		18	14	77.8
<i>Xerochrysum bicolor</i>	eastcoast everlasting		r		61	6	9.8
<i>Xerochrysum palustre</i>	swamp everlasting			VU	50	1	2.0

Endemic: end = endemic to Tasmania; tas = within Australia, only occurs in Tasmania; mi & tas = within Australia, only occurs on Macquarie Island and in Tasmania.

TSP Act = Tasmanian *Threatened Species Protection Act 1995*: r = rare, v = vulnerable, e = endangered, x = extinct

EPBC Act = Commonwealth *Environment Protection and Biodiversity Conservation Act 1999*: VU = Vulnerable, EN = Endangered, CR = Critically Endangered, EX = Extinct

[* = This taxon is protected as (1) it is either a component of a listed taxon, or the name has changed from that which appears in the official legislation, or (2) all taxa (species, subspecies or varieties) derived from this entity are listed as threatened species.]

Tas Count = number of records for the species within Tasmania, as per DPIPWE's Natural Values Atlas (excluding Macquarie Island).

LGA Count = number of records for the species within the specified local government area.

% in LGA = records within the local government area as a percentage of the total in Tasmania.

Disclaimer: The list above is based on records held in the Natural Values Atlas, and may include records that have a large degree of spatial uncertainty or that are known to be locally extinct. The number of records for a species does not necessarily equal the number of populations: that is, there may be more than one record per population. Note that records may have changed since this document was prepared. For further information check the NVA website at www.naturalvaluesatlas.dpipwe.tas.gov.au or individual species' information at www.dpipwe.tas.gov.au/threatenedspecieslists.

Contact details: Threatened Species Section, Department of Primary Industries, Parks, Water & Environment, GPO Box 44, Hobart, Tasmania, Australia, 7001. Phone (03) 6233 6556; fax (03) 6233 3477.