

Threatened plants within the Catchment: Ringarooma

| Species | Common name | Endemic | TSP Act | EPBC Act | Tas Count | Catchment Count | % in Catchment |
|--|----------------------|---------|---------|----------|-----------|-----------------|----------------|
| <i>Acacia ulicifolia</i> | juniper wattle | | r | | 307 | 1 | 0.3 |
| <i>Agrostis australiensis</i> | southern bent | | r | | 11 | 2 | 18.2 |
| <i>Asperula minima</i> | mossy woodruff | | r | | 56 | 5 | 8.9 |
| <i>Baumea gunnii</i> | slender twigsedge | | r | | 77 | 5 | 6.5 |
| <i>Blechnum cartilagineum</i> | gristle fern | | v | | 45 | 1 | 2.2 |
| <i>Brachyloma depressum</i> | spreading heath | | r | | 66 | 1 | 1.5 |
| <i>Brunonia australis</i> | blue pincushion | | r | | 564 | 1 | 0.2 |
| <i>Bunodophoron notatum</i> | | | e | | 7 | 1 | 14.3 |
| <i>Caladenia caudata</i> | tailed spider-orchid | end | v | VU | 205 | 2 | 1.0 |
| <i>Calandrinia granulifera</i> | pygmy purslane | | r | | 34 | 15 | 44.1 |
| <i>Calocephalus lacteus</i> | milky beautyheads | | r | | 245 | 21 | 8.6 |
| <i>Cassinia rugata</i> | wrinkled dollybush | | e | VU | 11 | 1 | 9.1 |
| <i>Comesperma defoliatum</i> | leafless milkwort | | r | | 34 | 13 | 38.2 |
| <i>Conospermum hookeri</i> | tasmanian smokebush | end | v | VU | 399 | 2 | 0.5 |
| <i>Corunastylis nuda</i> | tiny midge-orchid | | r | | 78 | 2 | 2.6 |
| <i>Cotula vulgaris var. australasica</i> | slender buttons | | r | | 75 | 4 | 5.3 |
| <i>Cuscuta tasmanica</i> | golden dodder | | r | | 22 | 1 | 4.5 |
| <i>Cyrtostylis robusta</i> | large gnat-orchid | | r | | 119 | 8 | 6.7 |
| <i>Deyeuxia brachyathera</i> | short bentgrass | | r | | 10 | 1 | 10.0 |
| <i>Diuris palustris</i> | swamp doubletail | | e | | 81 | 7 | 8.6 |
| <i>Drosera glanduligera</i> | scarlet sundew | | r | | 16 | 1 | 6.3 |
| <i>Epacris graniticola</i> | granite heath | end | v | CR | 97 | 57 | 58.8 |
| <i>Epilobium pallidiflorum</i> | showy willowherb | | r | | 216 | 59 | 27.3 |
| <i>Eutaxia microphylla</i> | spiny bushpea | | r | | 64 | 8 | 12.5 |
| <i>Glycine latrobeana</i> | clover glycine | | v | VU | 272 | 5 | 1.8 |
| <i>Glycine microphylla</i> | small-leaf glycine | | v | | 176 | 1 | 0.6 |
| <i>Hierochloe rariflora</i> | cane holygrass | | r | | 149 | 12 | 8.1 |
| <i>Hydrorchis orbicularis</i> | swamp onion-orchid | | r | | 45 | 2 | 4.4 |
| <i>Hypoxis vaginata var. vaginata</i> | sheathing yellowstar | | r* | | 158 | 1 | 0.6 |

Threatened Species Section
Department of Primary Industries, Parks, Water and Environment



| Species | Common name | Endemic | TSP Act | EPBC Act | Tas Count | Catchment Count | % in Catchment |
|---|-----------------------------|---------|---------|----------|-----------|-----------------|----------------|
| <i>Lachnagrostis robusta</i> | tall blowgrass | | r | | 31 | 1 | 3.2 |
| <i>Lasiopetalum baueri</i> | slender velvetbush | | r | | 40 | 11 | 27.5 |
| <i>Liparophyllum exaltatum</i> | erect marshflower | | r | | 31 | 1 | 3.2 |
| <i>Lobelia rhombifolia</i> | tufted lobelia | | r | | 18 | 5 | 27.8 |
| <i>Lotus australis</i> | australian trefoil | | r | | 98 | 4 | 4.1 |
| <i>Lycopus australis</i> | australian gypsywort | | e | | 51 | 3 | 5.9 |
| <i>Lythrum salicaria</i> | purple loosestrife | | v | | 175 | 11 | 6.3 |
| <i>Microtidium atratum</i> | yellow onion-orchid | | r | | 111 | 4 | 3.6 |
| <i>Myriophyllum muelleri</i> | hooded watermilfoil | | r | | 18 | 9 | 50.0 |
| <i>Orthoceras strictum</i> | horned orchid | | r | | 76 | 7 | 9.2 |
| <i>Persicaria decipiens</i> | slenderwaterpepper | | v | | 183 | 5 | 2.7 |
| <i>Persicaria subsessilis</i> | bristly waterpepper | | e | | 203 | 8 | 3.9 |
| <i>Phyllangium divergens</i> | wiry mitrewort | | v | | 102 | 5 | 4.9 |
| <i>Pimelea curviflora</i> var. <i>gracilis</i> | slender curved riceflower | | r | | 157 | 21 | 13.4 |
| <i>Pimelea flava</i> subsp. <i>flava</i> | yellow riceflower | | r | | 933 | 2 | 0.2 |
| <i>Pomaderris paniculosa</i> subsp. <i>paralia</i> | shining dogwood | | r | | 99 | 8 | 8.1 |
| <i>Pomaderris phyllicifolia</i> subsp. <i>ericoides</i> | revolute narrowleaf dogwood | | r* | | 2 | 2 | 100.0 |
| <i>Pomaderris phyllicifolia</i> subsp. <i>phyllicifolia</i> | narrowleaf dogwood | | r* | | 235 | 25 | 10.6 |
| <i>Prasophyllum castaneum</i> | chestnut leek-orchid | end | e | CR | 11 | 1 | 9.1 |
| <i>Pterostylis atriola</i> | snug greenhood | end | r | EN | 168 | 1 | 0.6 |
| <i>Pterostylis grandiflora</i> | superb greenhood | | r | | 78 | 3 | 3.8 |
| <i>Pterostylis sanguinea</i> | banded greenhood | | r | | 44 | 2 | 4.5 |
| <i>Pterostylis ziegeleri</i> | grassland greenhood | end | v | VU | 130 | 11 | 8.5 |
| <i>Ranunculus sessiliflorus</i> var. <i>sessiliflorus</i> | rockplate buttercup | | r | | 158 | 2 | 1.3 |
| <i>Schenkia australis</i> | spike centaury | | r | | 95 | 9 | 9.5 |
| <i>Scleranthus brockiei</i> | mountain knawel | | r | | 205 | 3 | 1.5 |
| <i>Siloxerus multiflorus</i> | small wrinklewort | | r | | 139 | 6 | 4.3 |
| <i>Sowerbaea juncea</i> | purple rushlily | | v | | 105 | 1 | 1.0 |
| <i>Sporobolus virginicus</i> | salt couch | | r | | 91 | 2 | 2.2 |
| <i>Spyridium parvifolium</i> | dustymiller | | r* | | 9 | 1 | 11.1 |
| <i>Spyridium parvifolium</i> var. <i>molle</i> | soft dustymiller | end | r | | 57 | 4 | 7.0 |

| Species | Common name | Endemic | TSP Act | EPBC Act | Tas Count | Catchment Count | % in Catchment |
|--|------------------------|---------|---------|----------|-----------|-----------------|----------------|
| <i>Spyridium parvifolium</i> var. <i>parvifolium</i> | coast dustymiller | | r | | 279 | 5 | 1.8 |
| <i>Spyridium vexilliferum</i> var. <i>vexilliferum</i> | helicopter bush | | r | | 270 | 4 | 1.5 |
| <i>Stellaria multiflora</i> | rayless starwort | | r | | 190 | 4 | 2.1 |
| <i>Stylidium beaugleholei</i> | fan triggerplant | | r | | 113 | 5 | 4.4 |
| <i>Stylidium despectum</i> | small triggerplant | | r | | 100 | 3 | 3.0 |
| <i>Stylidium perpusillum</i> | tiny triggerplant | | r | | 55 | 6 | 10.9 |
| <i>Thelymitra malvina</i> | mauve tuft sun-orchid | | e | | 87 | 1 | 1.1 |
| <i>Triglochin minutissima</i> | tiny arrowgrass | | r | | 61 | 11 | 18.0 |
| <i>Utricularia tenella</i> | pink bladderwort | | r | | 56 | 3 | 5.4 |
| <i>Vallisneria australis</i> | river ribbons | | r | | 34 | 4 | 11.8 |
| <i>Wilsonia humilis</i> | silky wilsonia | | r | | 135 | 2 | 1.5 |
| <i>Wilsonia rotundifolia</i> | roundleaf wilsonia | | r | | 152 | 6 | 3.9 |
| <i>Xanthorrhoea arenaria</i> | sand gras tree | end | v | VU | 146 | 12 | 8.2 |
| <i>Xanthorrhoea bracteata</i> | shiny gras tree | end | v | EN | 250 | 14 | 5.6 |
| <i>Xerochrysum bicolor</i> | east coast everlasting | | r | | 61 | 3 | 4.9 |

Endemic: end = endemic to Tasmania; tas = within Australia, only occurs in Tasmania; mi & tas = within Australia, only occurs on Macquarie Island and in Tasmania.

TSP Act = Tasmanian *Threatened Species Protection Act 1995*: r = rare, v = vulnerable, e = endangered, x = extinct

EPBC Act = Commonwealth *Environment Protection and Biodiversity Conservation Act 1999*: VU = Vulnerable, EN = Endangered, CR = Critically Endangered, EX = Extinct

[* = This taxon is protected as (1) it is either a component of a listed taxon, or the name has changed from that which appears in the official legislation, or (2) all taxa (species, subspecies or varieties) derived from this entity are listed as threatened species.]

Tas Count = number of records for the species within Tasmania, as per DPIPWE's Natural Values Atlas (excluding Macquarie Island).

LGA Count = number of records for the species within the specified local government area.

% in LGA = records within the local government area as a percentage of the total in Tasmania.

Disclaimer: The list above is based on records held in the Natural Values Atlas, and may include records that have a large degree of spatial uncertainty or that are known to be locally extinct. The number of records for a species does not necessarily equal the number of populations: that is, there may be more than one record per population. Note that records may have changed since this document was prepared. For further information check the NVA website at www.naturalvaluesatlas.dpipwe.tas.gov.au or individual species' information at www.dpipwe.tas.gov.au/threatenedspecieslists.

Contact details: Threatened Species Section, Department of Primary Industries, Parks, Water & Environment, GPO Box 44, Hobart, Tasmania, Australia, 7001. Phone (03) 6233 6556; fax (03) 6233 3477.