

## DTG *Eucalyptus tenuiramis* forest and woodland on granite: (woodland)

### Community Description:

*Eucalyptus tenuiramis* forest and woodland on granite is dominated by *E. tenuiramis*, rarely more than 25 m in height and often considerably smaller on highly insolated sites. These dry sclerophyll communities are generally characterised by shrubby understoreys with high cover and diversity and a sparse ground layer. This benchmark is one of 2 benchmarks available to assess the condition of DTG.

### Benchmarks:

Component	Height (m)	Cover (%)	DBH (cm)	Diameter (cm)	Count (#/ha)	Total Length (m/0.1 ha)
<b>Tree Canopy</b>	25	15	-	-	-	-
<b>Large Trees</b>	-	-	60	-	10	-
<b>Logs</b>	-	-	-	≥ 10	-	30
<b>Large Logs</b>	-	-	-	≥ 30	-	-
<b>Organic Litter</b>	-	40	-	-	-	-
<b>Recruitment</b>	Continuous					

Understorey Life Forms	LF code	# Spp	Cover (%)
Immature Canopy Tree	ICT	1	5
Tree (sub-canopy)/Large Shrub	T	3	5
Medium Shrub/Small Shrub	S	8	40
Prostrate and Mat Forming Shrubs (incl. cushion plants)	PS	4	5
Herbs and Orchids	H	7	5
Grasses	G	3	5
Large Sedge/Rush/Sagg/Lily	LSR	4	20
Medium to Small Sedge/Rush/Sagg/Lily	MSR	1	5
Ground Ferns and fern allies	GF	1	15
Scramblers/Climbers/Epiphytes	SCE	1	5
Mosses and Lichens	ML	1	5
<b>Total</b>	<b>11</b>	<b>34</b>	

### Species lists:

Tree Canopy Species	Common Name	Notes
<i>Eucalyptus tenuiramis</i>	silver peppermint	
<i>Eucalyptus amygdalina</i>	black peppermint	
<i>Eucalyptus ovata</i>	black gum	
<i>Eucalyptus sieberi</i>	ironbark	
<i>Eucalyptus viminalis</i>	white gum	

Last reviewed – 4 July 2022

[Tasmanian Vegetation Monitoring and Mapping Program](#)  
 Department of Natural Resources and Environment Tasmania  
<https://nre.tas.gov.au/>

DTG *Eucalyptus tenuiramis* forest and woodland on granite: (woodland)

Typical Understorey Species *	Common Name	LF Code
<i>Acacia melanoxylon</i>	blackwood	T
<i>Acacia terminalis</i>	sunshine wattle	T
<i>Allocasuarina</i> spp.	sheoak	T
<i>Banksia marginata</i>	silver banksia	T
<i>Bursaria spinosa</i>	prickly box	T
<i>Callitris rhomboidea</i>	oyster bay pine	T
<i>Exocarpos cupressiformis</i>	common native-cherry	T
<i>Acacia</i> spp.	wattle	S
<i>Amperea xiphoclada</i>	broom spurge	S
<i>Bossiaea</i> spp.	bossia	S
<i>Epacris impressa</i>	common heath	S
<i>Euryomyrtus ramosissima</i> subsp. <i>ramosissima</i>	rosy heathmyrtle	S
<i>Leptomeria drupacea</i>	erect currantbush	S
<i>Leptospermum scoparium</i>	common teatree	S
<i>Leptospermum glaucescens</i>	smoky teatree	S
<i>Leucopogon</i> spp.	beardheath	S
<i>Lissanthe strigosa</i>	peachberry heath	S
<i>Pultenaea</i> spp.	bushpea	S
<i>Tetradlea</i> spp.	pinkbells	S
<i>Acrotriche serrulata</i>	ants delight	PS
<i>Astroloma humifusum</i>	native cranberry	PS
<i>Gompholobium huegelii</i>	common wedgepea	PS
<i>Hibbertia</i> spp.	guineaflower	PS
<i>Acaena</i> spp.	sheepsburr	H
<i>Dichondra repens</i>	kidneyweed	H
<i>Euchiton</i> spp.	cottonleaf	H
<i>Gonocarpus</i> spp.	raspwort	H
<i>Goodenia lanata</i>	trailing native-primrose	H
<i>Helichrysum</i> spp.	everlasting	H
Orchidaceae	orchids	H
<i>Stylidium</i> spp.	triggerplant	H
<i>Viola</i> spp.	violet	H
<i>Austrodanthonia</i> spp.	wallabygrass	G
<i>Austrostipa</i> spp.	speargrass	G
<i>Deyeuxia</i> spp.	bentgrass	G
<i>Poa</i> spp.	tussockgrass	G
<i>Caustis pentandra</i>	thick twistsedge	LSR
<i>Dianella revoluta</i>	spreading flaxlily	LSR
<i>Gahnia</i> spp.	sawsedge	LSR
<i>Lepidosperma concavum</i>	Sand swordsedge	LSR
<i>Lomandra longifolia</i>	sagg	LSR
<i>Schoenus</i> spp.	bogsedge	MSR
<i>Pteridium esculentum</i>	bracken	GF
<i>Cassytha</i> spp.	dodderlaurel	SCE

\*This list is provided as a guide only. The species listed are typical of this plant community type but may not necessarily be present.